

SMERFS and SMERFS^3Tools for Software Reliability Assessment

Presented at the 26th Software Engineering Workshop November 27th – 29th Goddard Space Flight Center NASA

William Farr, PhD

B35, Combat Systems Branch Head

Phone: (540) 653-8388

Fax: (540) 653 8673

Email: farrwh@nswc.navy.mil



PURPOSE

To provide an overview to the Workshop attendees of the software reliability tools that are available for reliability assessment.




Outline of Presentation

- Overview of Software Reliability
- History of SMERFS and SMERFS^3
- Current & Future Direction
- How to obtain copies.




QUESTIONS ADDRESSED BY SOFTWARE RELIABILITY MODELING


HOW ERROR FREE IS THE SOFTWARE?



WHEN SHOULD I STOP TESTING?




SHOULD THE PROGRAM BE REENGINEERED?





APPROACH TO ESTIMATING S/W RELIABILITY IN THE TIME DOMAIN



SOFTWARE RELIABILITY DATA: NUMBER OF FAILURES/PERIOD (e.g., 6,4,2,3,1,...)

OR
TIME BETWEEN FAILURES (e.g., t_1 , t_2 , ... t_n)



SOFTWARE RELIABILITY MEASURES

ERROR COUNT MODELS

TIME BETWEEN MODELS

- TOTAL NUMBER OF ERRORS
- TOTAL NUMBER OF ERRORS

• EXPECTED NUMBER OF ERRORS IN FUTURE TESTING PERIODS

• MEAN TIME TO NEXT FAILURE

FAILURE RATE

- FAILURE RATE
- TESTING TIME REQUIRED TO ELIMINATE THE NEXT K ERRORS OR TO ACHIEVE A SPECIFIED FAILURE RATE
- TESTING TIME REQUIRED TO ACHIEVE A SPECIFIED RATE

• CURRENT PROGRAM RELIABILITY

 CURRENT PROGRAM RELIABILITY



ORGANIZATION OBJECTIVES

TO ENSURE THE HIGHEST QUALITY IN THE DELIVERED PRODUCTS TO THE NAVY THROUGH:

- A. Verification and Validation,
- B. Quality Control, and
- C. Configuration Management

THROUGHOUT THE LIFECYCLE OF THE PRODUCTS.



SOFTWARE RELIABILITY MODELING AT NSWCDD

- SLBM Software Development program initiated research in 1981
 - Investigated "software reliability modeling" approaches
 - Developed a useful reliability tool for QA (SMERFS)
 - Applied software reliability methodology on the Trident I
 (C4) and Trident II (D5) systems
- Engineering of Complex Systems (ECS)
 - Sponsored by the Office of Naval Research.
 - One particular task was to develop methodologies and their implementations for the evaluation and assessment of "complex" systems.
 - Development of SMERFS^3 (Statistical Modeling and Estimation of Reliability Functions for Systems: Software, Hardware, and Systems)



MERFS and SMERFS^3

(1996 – present)

S TATISTICAL M ODELING AND **E** STIMATION OF R FLIABILITY **F** UNCTIONS FOR **S** OFTWARE

S TATISTICAL M ODELING AND **E** STIMATION OF **R** ELIABILITY **UNCTIONS FOR** S YSTEMS^3

HARDWARE, SOFTWARE,

& SYSTEMS



SMERFS and **SMERFS**³

SMERFS Time Models Littlewood & Verrall Bayesian Musa Basic Execution Model **Geometric Model** Time between failures Non-homogeneous Poisson **Process Model Musa Logarithmic Poisson Model** Jelinski-Moranda Model **Error Count Models Generalized Poisson Process** Model **Non-homogeneous Poisson Process Model for Counts Brooks and Motley's Model Schneidewind Model** S-shaped Reliability Growth Model Number of failures per SMERFS³ unit time **Software Models** All of the above **Hardware Models** Weibull Exponential Rayleigh* 4 Armv Models* **System Models** Markov* **Hyper-exponential***

Mean time to failure Reliability **Number of errors** remaining Required time to meet specified reliability objectives **Number of failures** expected in a specified time period

* Not Implemented



SMERFS^3

- FOR A PC WINDOWS ENVIRONMENT (WINDOWS, NT)
- INCORPORATES HARDWARE, SOFTWARE, AND SYSTEM'S RELIABILITY (SOFTWARE + HARDWARE)
- CAPTURES ALL OF THE FUNCTIONALITY OF SMERFS
- GUI INTERFACE (VISUAL C++)
- LIBRARY IN FORTRAN 90
- HARDWARE MODELS: EXPONENTIAL, RALEIGH, WEIBULL, CONTINUOUS AND DISCRETE RELIABILITY GROWTH PROJECTION MODELS, AND THE CONTINUOS AND DISCRETE RELIABILITY TRACKING MODELS
- SYSTEM MODELS: HYPEREXPONENTIAL AND MARKOV MODELS
- INCORPORATED INTO ARMY'S INSIGHT TOOL



Current & Future Efforts

ARMY

- Last year and this year we had an initiative to incorporate SMERFS^3 into the Army's Insight tool.
 - Insight is a tool developed by the Army's Software Metrics Office that helps the user tailor and implement the issue-driven software and systems measurement process as defined in the DOD's *Practical Software and Systems Measurement (PSM) Guide*.

(Discussion by Scott Lucero)

- Jet Propulsion Laboratory (JPL), Naval Postgraduate School (NPS), and the Air Force Operational Test and Evaluation Center (AFOTEC)
 - Develop a new SMERFS^3 incorporating software, hardware, and systems as well as integrating in JPL's CASRE tool
 - Additional features will include: early reliability prediction and new models
 - Currently seeking funding and developing a series of papers/presentations showing the benefits of reliability assessment



HOW TO OBTAIN COPIES

- Contact me:
 - -By Phone: (540) 653-8388
 - -By Email: farrwh@nswc.navy.mil
- Indicate SMERFS or SMERFS^3
- Selected copy will be emailed as a zipped file